



ARMOGE

OIL & GREASE EMULSIFIER

PRODUCT DESCRIPTION

The Oil & Grease Emulsifier is formulated to clean walls, floors, and equipment effectively. This versatile cleaner excels in eliminating oil, grease, fats, blood, and animal by-products. It's suitable for various surfaces such as concrete, asphalt, vinyl, metal, plastic, and fiberglass. Moreover, it proves highly efficient in cleaning equipment, tools, brushes, rollers, and spray equipment.

RECOMMENDED FOR: Crafted for the cleaning of walls, floors, and equipment, this product is versatile enough to handle various surfaces including concrete, asphalt, vinyl, metal, plastic, and fiberglass. It also proves highly effective for cleaning equipment, tools, brushes, rollers, and spray gear.

CHEMICAL AND PHYSICAL ANALYSIS

SHELF LIFE	N/A
MIX RATIO	1 PART
POT LIFE	N/A
SOLIDS BY VOLUME	N/A
PACKAGING	1 GAL UNIT
COLORS	N/A
RECOMMENDED THICKNESS	N/A
COVERAGE	100 SQ FT PER GALLON
CURE SCHEDULE	-
TACK FREE	N/A
RECOAT TIME	-
FULL CURE	-
VISCOSITY	N/A
GLOSS/SHEEN	N/A
SURFACE TEMP APPLICATION	N/A
CLEAN UP	CLEAN WATER
WEIGH PER GAL	8.9 LBS
VOLATILE ORGANIC COMPOUND (VOC)	157 G/L

CURE SCHEDULE TIMES ARE APPROXIMATE AND WILL BE AFFECTED BY TEMPERATURE CONDITIONS AND RELATIVE HUMIDITY

CERTIFICATIONS & QUALIFICATIONS

THE PRODUCT SUPPORTED BY THIS DATA SHEET IS NOT REGULATED BY COATINGS VOC RULES.

DOES NOT APPLY TO LEED (LEADERSHIP IN ENERGY AND ENVIRONMENTAL DESIGN) STANDARDS.

SUITABLE FOR USE IN USDA INSPECTED FACILITIES

FEATURES

Concentrated and must be mixed with water // Biodegradable and phosphate-free // Use on metal, fiberglass, vinyl, and masonry surfaces □ Rinses clean with no residue

PACKAGING

Sold in 1 Gal units

WARNING

WARNING! If you scrape, sand, or remove old paint, you may release lead dust. LEAD IS TOXIC. EXPOSURE TO LEAD DUST CAN CAUSE SERIOUS ILLNESS, SUCH AS BRAIN DAMAGE, ESPECIALLY IN CHILDREN. PREGNANT WOMEN SHOULD ALSO AVOID EXPOSURE. Wear a NIOSH approved respirator to control lead exposure. Clean up carefully with a HEPA vacuum and a wet mop. Before you start, find out how to protect yourself and your family by contacting the National Lead Informational Hotline at 1-800-424-LEAD or log on to www.epa.gov/lead.

APPLICATION

Application Shake well before using. Oil & Grease Emulsifier should be mixed with water before use, 11 parts water to 1 part emulsifier for heavy cleaning requirements and 15 parts water to 1 part emulsifier for light cleaning. A mixed gallon will clean approximately 100 square feet of area. Pour the water and emulsifier mixture onto the surface to be cleaned. Allow this solution to work for 15 to 30 minutes then scrub the surface with a stiff bristled brush. Rinse thoroughly with clean water or pick up residue with a wet/dry vacuum. Repeat the cleaning procedure if necessary. Clean Up Clean up with clean water.

Clean up with clean water

ENVIRONMENTAL HEALTH & SAFETY INFORMATION

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS) Keep container closed when not in use. In case of spillage, absorb with inert material and dispose of in accordance with local regulations. Wash thoroughly after handling. Refer to Safety Data Sheet for additional health and safety information.

3.3% of the mixture consists of ingredient(s) of unknown toxicity.

WARNING: Cancer and Reproductive Harm.
www.P65Warnings.ca.gov

KEEP OUT OF REACH OF CHILDREN PROTECT FROM FREEZING Refer to Safety Data Sheet for additional health and safety information.