

According to U.S.A. Federal Hazcom 2012

### 1. IDENTIFICATION

#### 1.1. Product identifier

Product name **Ballistiseal Pro**

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses	Industrial	Professional	Consumer
Pavers, masonry walls, garages, driveways, and all concrete surfaces that need additional protection.	✓	✓	✓

#### Uses Advised Against

No data available.

#### 1.3. Details of the supplier of the safety data sheet

Name **Ballistix Coatings and Sealers**  
 Full address **11720 Main Steet, Suite 120  
 Fredericksburg, VA 22408  
 Tel: 540-940-6698  
 Website: www.supplyndesign.com / www.squeezeyourtrigger.com**  
 District and Country **USA**  
 Revision Date **March 12, 2024**

#### 1.4. Emergency telephone number

For urgent inquiries refer to **INFOTRAC, INC.  
 US, Canada & Mexico +1-800-535-5053  
 International +1-352-323-3500**

### 2. HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Classification and Hazard Statement

Hazard pictograms:

Reproductive toxicity, category 2  
 Skin sensitization, category 1A

Suspected of damaging fertility or the unborn child.  
 May cause an allergic skin reaction.



Signal words: **Warning**

Hazard statements:

**H361** Suspected of damaging fertility or the unborn child.  
**H317** May cause an allergic skin reaction.

Prevention:

Precautionary statements:

**P261** Avoid breathing dust / fume / gas / mist / vapours / spray.  
**P202** Do not handle until all safety precautions have been read and understood.  
**P201** Obtain special instructions before use.  
**P280** Wear protective gloves/ protective clothing / eye protection / face protection.  
**P272** Contaminated work clothing should not be allowed out of the workplace.

Response:

**P308+P313** IF exposed or concerned: Get medical advice / attention.  
**P333+P313** If skin irritation or rash occurs: Get medical advice / attention.  
**P302+P352** IF ON SKIN: Wash with plenty of water.  
**P363** Wash contaminated clothing before reuse.

Storage:

**P405** Store locked up.

Disposal:

**P501** Dispose of contents / container in accordance with national regulations.



# BALLISTISEAL PRO



11720 Main St, Suite 120  
Fredericksburg, VA 22408  
540-940-6698  
admin@supplyndesign.com  
www.supplyndesign.com

## SAFETY DATA SHEET

According to U.S.A. Federal Hazcom 2012

### 2.2. Other hazards

No other hazards known.

## 3. COMPOSITION/INFORMATION ON INGREDIENT

### Product Description: 3-Part Glossy Protectant

Ballistiseal Pro is a multifaceted, epoxy acrylic, single-component sealer that is ideal for use on pavers, pool decks, masonry walls, and all concrete surfaces that need additional protection. It is fast drying and provides excellent water resistance, along with interior and exterior durability. It also provides good alkali resistance and excellent adhesion to concrete and pavers. This unique formula provides all the performance benefits of a 2-component system in an easy-to-use single-component system.

### Suggested Uses:

Pavers, masonry walls, garages, driveways, and all concrete surfaces that need additional protection.

### 3.1. Substances

Information not relevant

### 3.2. Mixtures

Contains:

Identification	Conc. %	Classification:
<b>Proprietary Mixture</b>	>70	
EC		
CAS Proprietary Mixture		
<b>bis(1,2,2,6,6-pentamethyl-4-piperidyl)sebacate</b>		
CAS 41556-26-7	<5	Reproductive toxicity, category 2 H361, Skin sensitization, category 1A H317
<b>1-METHOXY-2-PROPANOL</b>		
INDEX 603-064-00-3	<5	Flammable liquid, category 3 H226, Specific target organ toxicity - single exposure, category 3 H336
EC 203-539-1		
CAS 107-98-2		
<b>Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate</b>		
CAS 82919-37-7	<5	Reproductive toxicity, category 2 H361, Skin sensitization, category 1A H317
<b>Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]-</b>		
CAS 104810-47-1	<5	Skin sensitization, category 1A H317
<b>Poly(oxy-1,2-ethanediyl), .alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1 dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-hydroxy-</b>		
CAS 104810-48-2	<5	Skin sensitization, category 1A H317

The full wording of hazard (H) phrases is given in section 16 of the sheet.

## 4. FIRST AID MEASURES

### 4.1. Description of first aid measures

**EYES:** Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

**SKIN:** Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

**INHALATION:** Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

**INGESTION:** Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

### 4. Indication of any immediate medical attention and special treatment needed

Treat symptomatic.



# BALLISTISEAL PRO



11720 Main St, Suite 120  
Fredericksburg, VA 22408  
540-940-6698  
admin@supplyndesign.com  
www.supplyndesign.com

## SAFETY DATA SHEET

According to U.S.A. Federal Hazcom 2012

### 5. FIRE FIGHTING-MEASURE

#### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

#### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

#### 5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health.

Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water

used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

### 7. Handling and storage

#### 7.1. Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat. Avoid leakage of the product into the environment.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a cool and well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s)

Information not available



# BALLISTISEAL PRO



11720 Main St, Suite 120  
Fredericksburg, VA 22408

540-940-6698

admin@supplyndesign.com

www.supplyndesign.com

## SAFETY DATA SHEET

According to U.S.A. Federal Hazcom 2012

### 8. EXPOSURE CONTROL / PERSONAL PROTECTION

#### 8.1. Control parameters

##### Regulatory References:

USA NIOSH-REL NIOSH publication No. 2005-149, 3th printing, 2007.  
 USA CAL/OSHA-PEL California Division of Occupational Safety and Health (Cal-OSHA) Permissible Exposure Limits (PELs).  
 EU OEL EU Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.  
 TLV-ACGIH ACGIH 2022

#### 1-METHOXY-2-PROPANOL

##### Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
TLV-ACGIH	-	184	50	368	100	
OEL	EU	375	100	568	150	SKIN
CAL/OSHA	USA	360	100	540	150	SKIN
NIOSH	USA	360	100	540	150	

##### Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must comply with current regulations.

##### HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (OSHA 29 CFR 1910.138): compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

##### SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear. Wash body with soap and water after removing protective clothing.

##### EYE PROTECTION

Wear airtight protective goggles (OSHA 29 CFR 1910.133).

##### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, wear a mask with a NIOSH certified filter, whose class must be chosen according to the limit of use concentration (NIOSH 42 CFR 84, OSHA 29 CFR 1910.134). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required. Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus or external air-intake breathing apparatus. For a correct choice of respiratory protection device, see standard

##### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

NIOSH 42 CFR 84, OSHA 29 CFR 1910.134.

### 9. PHYSICAL & CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	liquid	
Colour	not available	
Odour	not available	



# BALLISTISEAL PRO



11720 Main St, Suite 120  
 Fredericksburg, VA 22408  
 540-940-6698  
 admin@supplyndesign.com  
 www.supplyndesign.com

## SAFETY DATA SHEET

According to U.S.A. Federal Hazcom 2012

Odour threshold	not available	
pH	not available	
Melting point / freezing point	not available	
Initial boiling point	not available	
Boiling range	not available	
Flash point	not available	
Evaporation rate	not available	
Flammability	not available	
Lower inflammability limit	not available	
Upper inflammability limit	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Vapour pressure	not available	
Vapour density	not available	
Relative density	not available	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
Viscosity	not available	
Explosive properties	not available	
Oxidising properties	not available	

### 9.2. Other information

Information not available

## 10. STABILITY & REACTIVITY

### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

1-METHOXY-2-PROPANOL

Dissolves various plastic materials. Stable in normal conditions of use and storage.

Absorbs and dissolves in water and in organic solvents. With air it may slowly form explosive peroxides.

### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

1-METHOXY-2-PROPANOL

May react dangerously with: strong oxidising agents, strong acids.

### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

1-METHOXY-2-PROPANOL

Avoid exposure to: air.

### 10.5. Incompatible materials

1-METHOXY-2-PROPANOL

Incompatible with: oxidising substances, strong acids, alkaline metals.

### 10.6. Hazardous decomposition products

Information not available



# BALLISTISEAL PRO



11720 Main St, Suite 120  
Fredericksburg, VA 22408  
540-940-6698  
admin@supplyndesign.com  
www.supplyndesign.com

## SAFETY DATA SHEET

According to U.S.A. Federal Hazcom 2012

### 11. TOXICOLOGICAL INFORMATION

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

#### 11.1. Information on toxicological effects

##### Metabolism, toxicokinetics, mechanism of action and other information

Information not available

##### Information on likely routes of exposure

1-METHOXY-2-PROPANOL

WORKERS: inhalation; contact with the skin.

POPULATION: ingestion of contaminated food or water; inhalation of ambient air; contact with the skin of products containing the substance.

##### Delayed and immediate effects as well as chronic effects from short and long-term exposure

1-METHOXY-2-PROPANOL

The main route of entry is the skin, whereas the respiratory route is less important due to the low vapour pressure of the product. Above 100 ppm causes irritation of the eye, nose and oropharynx mucous membranes. At 1000 ppm, disturbance of equilibrium and severe eye irritation can be noticed. Clinical and biological examinations carried out on exposed volunteers revealed no anomalies. Acetate produces greater skin and eye irritation with direct contact. No chronic effects on humans have been reported.

##### Interactive effects

Information not available

##### ACUTE TOXICITY

1-METHOXY-2-PROPANOL

LD50 (Oral):	5300 mg/kg Rat
LD50 (Dermal):	13000 mg/kg Rabbit
LC50 (Inhalation vapours):	54,6 mg/l/4h Rat

##### SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

##### SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

##### RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

##### GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

##### CARCINOGENICITY

Does not meet the classification criteria for this hazard class  
Carcinogenicity Assessment:

##### REPRODUCTIVE TOXICITY

Suspected of damaging fertility or the unborn child

##### STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

##### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

##### ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class



# BALLISTISEAL PRO



11720 Main St, Suite 120  
Fredericksburg, VA 22408  
540-940-6698  
admin@supplyndesign.com  
www.supplyndesign.com

## SAFETY DATA SHEET

According to U.S.A. Federal Hazcom 2012

### 12. ECOLOGICAL INFORMATION

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

#### 12.1. Toxicity

Information not available

#### 12.2. Persistence and degradability

1-METHOXY-2-PROPANOL

Solubility in water 1000 - 10000 mg/l

Rapidly degradable

#### 12.3. Bioaccumulative potential

1-METHOXY-2-PROPANOL

Partition coefficient: n-octanol/water < 1

#### 12.4. Mobility in soil

Information not available

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

#### 12.6. Other adverse effects

Information not available

### 13. DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

#### CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

### 14. TRANSPORTATION INFORMATION

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

#### 14.1. UN number

not applicable

#### 14.2. UN proper shipping name

not applicable

#### 14.3. Transport hazard class(es)

not applicable

#### 14.4. Packing group

not applicable

#### 14.5. Environmental hazards


not applicable

#### 14.6. Special precautions for user

not applicable

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant



# BALLISTISEAL PRO



11720 Main St, Suite 120  
Fredericksburg, VA 22408  
540-940-6698  
admin@supplyndesign.com  
www.supplyndesign.com

## SAFETY DATA SHEET

According to U.S.A. Federal Hazcom 2012

### 15. REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### U.S. Federal Regulations

Clean Air Act Section 112(b):  
107-98-2

1-METHOXY-2-PROPANOL (Glycol ethers)

Clean Air Act Section 602 Class I Substances:  
No component(s) listed.

Clean Air Act Section 602 Class II Substances: No component(s) listed.

Clean Water Act – Priority Pollutants:  
No component(s) listed.

Clean Water Act – Toxic Pollutants:  
No component(s) listed.

DEA List I Chemicals (Precursor Chemicals):  
No component(s) listed.

DEA List II Chemicals (Essential Chemicals):  
No component(s) listed.

EPA List of Lists:  
313 Category Code:  
107-98-2

1-METHOXY-2-PROPANOL (Glycol ethers)

EPCRA 302 EHS TPQ:  
No component(s) listed.

EPCRA 304 EHS RQ:  
No component(s) listed.

CERCLA RQ:  
No component(s) listed.

EPCRA 313 TRI:  
107-98-2

1-METHOXY-2-PROPANOL (Glycol ethers)

RCRA Code: No component(s) listed.

CAA 112 (r) RMP TQ:  
No component(s) listed.

State Regulations  
Massachusetts:  
107-98-2

1-METHOXY-2-PROPANOL (Glycol ethers)

Minnesota:  
107-98-2

1-METHOXY-2-PROPANOL (Glycol ethers)

New Jersey:  
107-98-2

1-METHOXY-2-PROPANOL (Glycol ethers)





# BALLISTISEAL PRO



 11720 Main St, Suite 120  
 Fredericksburg, VA 22408  
 540-940-6698  
 admin@supplyndesign.com  
 www.supplyndesign.com

## SAFETY DATA SHEET

According to U.S.A. Federal Hazcom 2012

New York:

No component(s) listed.

Pennsylvania:

107-98-2

1-METHOXY-2-PROPANOL (Glycol ethers)

California:

107-98-2

1-METHOXY-2-PROPANOL (Glycol ethers)

Proposition 65:

This product does not contain any substances know to the State of California to cause cancer, reproductive harm or birth defects.

International Regulations

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None


### 16. OTHER INFORMATION

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

<b>H226</b>	Flammable liquid and vapour.
<b>H361</b>	Suspected of damaging fertility or the unborn child.
<b>H317</b>	May cause an allergic skin reaction.
<b>H336</b>	May cause drowsiness or dizziness.
<b>H400</b>	Very toxic to aquatic life.
<b>H410</b>	Very toxic to aquatic life with long lasting effects.
<b>H411</b>	Toxic to aquatic life with long lasting effects.

**LEGEND:**

- 313 CATEGORY CODE: Emergency Planning and Community Right-to Know Act Section 313 Category Code
- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAA 112<sup>®</sup> RMP TQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112<sup>®</sup>)
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CERCLA RQ: Reportable Quantity (Comprehensive Environment Response, Compensation, and Liability Act)
- CLP: Regulation (EC) 1272/2008
- DEA: Drug Enforcement Administration
- EmS: Emergency Schedule
- EPA: US Environmental Protection Agency
- EPCRA: Emergency Planning and Community Right-to Know Act
- EPCRA 302 EHS TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Section 302 Category Code)
- EPCRA 304 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Section 304 Category Code)
- EPCRA 313 TRI: Toxics Release Inventory (Section 313 Category Code)
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PEL: Predicted exposure level
- RCRA Code: Resource Conservation and Recovery Act Code
- REACH: Regulation (EC) 1907/2006
- REL: Recommended exposure limit
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value



# BALLISTISEAL PRO



11720 Main St, Suite 120  
Fredericksburg, VA 22408  
540-940-6698  
admin@supplyndesign.com  
www.supplyndesign.com

## SAFETY DATA SHEET

According to U.S.A. Federal Hazcom 2012

- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TSCA: Toxic Substances Control Act
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- WHMIS: Workplace Hazardous Materials Information System.

#### GENERAL BIBLIOGRAPHY:

- GHS rev. 3
- The Merck Index. 10th Edition
- Handling Chemical Safety
- Niosh - Registry of Toxic Effects of Chemical Substances
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy
- 6 NYCRR part 597
- Cal/OSHA website
- California Safe Drinking Water and Toxic Enforcement Act
- EPA website
- Hazard Communication Standard (HCS 2012)
- IARC website
- List Of Lists EPA: Consolidated List of Chemicals Subject to EPCRA, CERCLA and Section 112<sup>®</sup> of the Clean Air Act
- Massachusetts 105 CMR Department of public health 670.000: "Right to Know"
- Minensota Chapter 5206 Departemnt Of Labor and Industry Hazardous Substances, Employee "Right to Know".
- New Jersey Worker and Community Right to know Act N.J.S.A.
- NTP. 2011. Report on Carcinogens, 12th Edition.
- OSHA website
- Pennsylvania, Hazardous Substance List, Chapter 323

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

#### CALCULATION METHODS FOR CLASSIFICATION

Product classification derives from criteria established by the OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200), unless determined otherwise in Section 11 and 12. The data for evaluation of chemical-physical properties are reported in section 9.